



**SPECIFICATION  
SAMPSON MILLS SYSTEM  
THE COLUMN  
#SF120 – SF90 STATIONARY FLAT PANEL SYSTEM**

**Part 1 -General**

**1.01 SUMMARY**

A. Work of this section includes hand operated window treatment and room dividing hardware as manufactured by Sampson Mills Ltd.

**1.02 SUBMITTALS**

A. Product data: Manufacturer's descriptive literature shall be submitted, indicating materials, finishes and installation instructions for each type of window treatment specified.

B. Shop drawings: Components and installation detail drawings shall be supplied as requested.

C. Product selected as it removes the need for sewing, Velcro, nails, screws or glue for felt/fabric panels

C1. This is essential for easy onsite repair for the systems

C2. This Product reduces labor and offsite work as it has easy on site Hight adjustability.

C3. This System selected specifically because there is no front and back

C3a it looks identical from the window side (outside) or room side

C3b. It looks identical from both sides when used as room dividers.

**1.03 QUALITY ASSURANCE**

A. Products shall be manufactured to meet or exceed all quality standards as stipulated by Sampson Mills.

B. Product specifically designed for labor reduction and for easy maintenance and repair. Quality and labor savings must be equal or greater approved solutions by manufacturer Sampson Mills.

**1.04 DELIVERY, STORAGE AND HANDLING**

A. Product shall be delivered to the project site in manufacturer's original packaging.

B. Product shall be handled and stored to prevent damage to materials, finishes and operating mechanisms.

C. Fabric and carriers shall be added to the track on site to avoid possible damage.

**1.05 WARRANTY**

A. Manufacturer shall provide that SF120, SF90, system components are free of defects for **Five** years from the date of shipping. Specific product warranty terms are available from Sampson Mills.

**Part 2 -Product**

**2.01 MANUFACTURER**

A. Acceptable product: Window treatment system, Room dividing #SF120- SF90 STATIONARY FLAT PANEL TRACK as manufactured by:

Sampson Mills Ltd. P.O. Box 1147 New York, 10150

**2.02 EQUIPMENT**

A. Medium to heavy duty hand operated flat panel / room dividing track which shall accommodate Felt, Fabric, and other materials approved by manufacturer.

**2.03 COMPONENTS**

A. Track:

1. Shall be T6 anodized aluminum (optional: Sampson Mills approved powder coated finish) ,

1a Standard Colors Black, White, Silver

1b Custom colors available upon approval and request.

2. Curve-able on both inside and outside radii, to a minimum radius of 10" For SF120

3. Project site and drawings specifically designed for exterior dimensions of profiles Cad or pdf drawings available upon request.

4. Profiles and finishes must be rated for indoor & outdoor use.

B. Parts:

1. System shall include SF120 or SF90 track which allows for suspension and wall mount solutions

2. Must use suspension hardware provided by Sampson Mills

2a. STW78 for sloped ceilings (tension wire)

2b. STS78 for suspension ceilings (tension wire)

2c. SPR for suspension ceilings (10 mm solid aluminum suspension rod)

2d. SPD decorative suspension ceilings (10 mm solid aluminum suspension rod)

2e. Side wall mount WB12



# Sampson Mills Ltd.

**Sampson Mills Ltd.**  
P.O. Box 1147  
New York, 10150

Phone: (718) 412-9040  
Fax: (718) 412-9039

info@Sampsonmills.com  
www.Sampsonmills.com

---

- 2f. L bracket WBL4 (4"), Double bracket WBL8 (8")
- 2g. Drop ceiling ZC01 - Z clip for drop ceilings.
- 3. Shall be original Sampson Mills components.
- 4. Carriers for Felt to be either PFB120 or PFB90 for felt panels 8mm felt and above
- 5. Carriers for fabric to be either PFB120D or PFB90D for Fabric panels or 5mm felt and below

C. Flat Panel Systems Options:

- 1. Stationary systems
  - 1a. Material width must not be greater than the system width.

**Part 3 -Execution**

**3.01 INSTALLATION**

A. Install window treatment and room dividing system in accordance with Sampson Mills specifications, standards and procedures.

Installation contractor shall be responsible for site measurements and suitability of mounting surface.

B. Adequate clearance shall be provided to permit unencumbered operation of the entire system.

C. System to be installed with Sampson Mills suspension and wall mount hardware.

**Manufacturer:** Sampson Mills Ltd  
718-412-9040  
[info@sampsonmills.com](mailto:info@sampsonmills.com)  
PO Box 1147  
New York NY 10150

**technical counsel:**  
Joseph Bibi  
718-412-9040; 415  
[Joseph@sampsonmills.com](mailto:Joseph@sampsonmills.com)